

**DOCUMENT 00 90 00
ADDENDUM**

ADDENDUM NO. [1] Date: June 7, 2017

**RE: SCHOOL DISTRICT OF LA CROSSE
LONGFELLOW MIDDLE SCHOOL SECURE ENTRY ADDITION AND REMODEL
1900 DENTON ST
LA CROSSE, WISCONSIN
HSR PROJECT NO. 16087**

FROM: HSR Associates, Inc
100 Milwaukee Street
La Crosse, WI 54603
(608) 784-1830

To: Prospective Bidders

This addendum forms a part of the Contract Documents and modifies the original Bidding Documents dated May 2017. Acknowledge receipt of this Addendum in the space provided on the bid form. Failure to do so may subject the Bidder to disqualification.

This Addendum consists of [1] page.

CHANGES TO SPECIFICATIONS:

1. Section 08 43 13 ALUMINUM FRAMED STOREFRONT
 - a. 2.01, A: The framing in this section should be 2" x 6" nominal. Change Series numbers as follows:
 - i. Kawneer North America: 601UT (2" x 6").
 - ii. Tubelite, Inc.: TU24650 (2" x 6 1/2").
 - iii. YKK AP: YES 60 XT (2" x 6"). www.ykkap.com
 - iv. Manko: Corresponding performing frame size.
 - b. 2.02, A, 2: Change frame size to as noted above.
2. Section 09 77 33 GLASS FIBER REINFORCED PLASTIC PANELS
 - a. 2.01, A, 1: Delete "Factory Mutual (FSFM)".
 - b. 2.02, A, 2: Change "0.12" to "0.090"
 - c. 2.02, A, 3: Change "Smooth" to "Pebble Embossed".
 - d. 3.04: Delete Item 'B'.

END OF DOCUMENT 00 90 00