

DOCUMENT 00 90 00
ADDENDUM

ADDENDUM NO. [4] **Date: March 26, 2018**

RE: EAU CLAIRE AREA SCHOOL DISTRICT
McKINLEY CHARTER SCHOOL
1266 McKINLEY RD
EAU CLAIRE, WISCONSIN 54701
HSR PROJECT NO. 17057

FROM: HSR Associates, Inc
100 Milwaukee Street
La Crosse, WI 54603
(608) 784-1830

To: Prospective Bidders

This addendum forms a part of the Contract Documents and modifies the original Bidding Documents dated March 2018. Acknowledge receipt of this Addendum in the space provided on the bid form. Failure to do so may subject the Bidder to disqualification.

This Addendum consists of [1] page.

CHANGES TO SPECIFICATIONS:

1. Section 08 27 26 WIRING DEVICES
 - a. 2.02: Add Item B as follows:
 - B. Dimmer Switch
 1. Specification grade.
 2. Control: 0-10V.
 3. Switch: 24V
 4. Switch on/off with slide dimmer.
 5. Color: White.
 6. Manufacturer: Lutron #DVTV or equal: with PP-DV power pack.

CHANGES TO DRAWINGS

1. Sheet ID101 FINISH FLOOR PLAN
 - a. Clarification: At Men's 126, Women's 127, Toilet 117, Toilet 121 and Toilet 122 the base is Tile 1 and the floor is fluid applied from 09 67 00.
 - b. At Breakroom 132, add vinyl base.
2. Sheet ID600 MASTER COLOR SCHEDULE
 - a. 09 30 00 Tile: AT TLE-1, under 'General Location', change "Field Tile in Restrooms" to "Field Wall Tile in Restrooms".
 - b. 09 65 00 Resilient Flooring: At LVT-2, under 'General Location', delete "Breakroom"
 - c. 09 67 00 Fluid Applied Flooring: Under 'General Location' add "Breakroom 132".

END OF DOCUMENT 00 90 00